

RISK ASSESSMENT

DESCRIPTION OF ACTIVITY / EQUIPMENT Gladiator Duel/Pillow Bash/Wrecking Ball

HAZARD	EXISTING CONTROL MEASURES	HARM (1-5)	LIKELY HOOD (1-5)	RISK (1-5)	FURTHER CONTROLS TO REDUCE RISK	RISK ACCEPTABLE Y/N
Users falling from podium during activity	Ensure inflatable bed is fully inflated and covers entire fall off area	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Users getting hurt from blows by other participant	Ensure all users wear all safety equipment provided	1	2	1	ADULT SUPERVISION AT ALL TIMES	
Overloading	Only two participants are permitted to use the inflatable at once	2	1	1	ADULT SUPERVISION AT ALL TIMES	
Over enthusiastic participants	No person deemed to be under the influence of drugs or alcohol to use the gladiator duel	1	1	1	ADULT OPERATER MAKES FINAL DECISION	
Danger of unnecessary injury	Ensure that no one with a history of back or neck problems or who suffers from a heart complaint uses the Inflatable or anyone who is feeling unwell. Pregnant women may NOT use any equipment at anytime.	1	1	1	ADULT SUPERVISION AT ALL TIMES	
RISK ASSESSMENT CARRIED OUT BY:			DATE:	ANY OTHER ACTION REQU.:		

THE ABOVE INFORMATION IS BASED ON MAUFACTURERS CRITERIA AND EXPERIENCE FROM EXTENSIVE USE OF EQUIPMENT.